

## Installation of GDL

The software package GNU Data Language (GDL) can be downloaded at the project's homepage ([link](#)), then follow the instructions for Win / Mac / Linux to install. In common Linux distributions (Ubuntu, Debian, ...) one can use the package management, too:

```
sudo apt-get install gnudatalanguage
```

For the use in the Laboratory Courses the IDL Astro Library is also required. It can be downloaded at:

<http://idlastro.gsfc.nasa.gov/homepage.html>

In the next step the following directories

```
/home/user/opt/gdl-astrolib/astron/
```

should be created. Here and in the following, user should be replaced by the name of the corresponding user account. Afterwards the archive (*astron*) can be unpacked there. Furthermore, it is necessary to change the following lines of the file *readfits.pro* in the directory *pro*:

```
Line:          ndata = product(dims,/integer)
replace by:    ndata = dims[0]
```

Additionally create a file *fitsconvert.pro* with the following content:

```
function fitsconvert,image
if n_elements(image) eq 0 then begin
    print,'Usage: converted_image=fitsconvert,original_image'
    return,0
endif
erg=(long(image)+65536) mod 65536
return,erg
end
```

in the directory */home/betreuer/opt/gdl-astrolib/*. For the astrophysical lab course (especially for C7 and N2) the following routines are additionally required and should be also placed in this directory: *correl\_images.pro*, *newremove.pro*, *newsrco.pro*, *la\_cosmic.pro*, *mxaddpar.pro*, and *datatype.pro* (all can be found in the SVN). To use the AstroLib, create an additional start-up script that exports the paths of the libraries. This script can e.g. be saved as hidden file in the home directory (e.g. *\$HOME/.gdl\_startup*). If the directory *astron* and the file *fitsconvert.pro* are placed in */home/user/opt/gdl-astrolib*, the start-up script would look like:

```
!PATH=!PATH + ':/usr/bin/'
!PATH=!PATH + ':/home/user/opt/gdl-astrolib/astron/pro'
!PATH=!PATH + ':/home/user/opt/gdl-astrolib'
loadct,0, ncolor=255;
!P.BACKGROUND=255;
!P.COLOR=0;
!X.STYLE=1;
```

```
!Y.STYLE=1;
!Z.STYLE=1
print, '';
print, '*****';
print, '** Personal settings are loaded and active **';
print, '*****';
print, '';
```

The first line contains the link to the executable gdl file. The second/third line contains the path to the *.pro* files in the *astron* directory and the file *fitsconvert.pro* (adjust paths as needed).

If the start-up script is in the directory */home/user/*, prepare it for the usage in the Bash-Shell by adding the following line

```
export GDL_STARTUP=/home/user/.gdl_startup
```

to the *.bashrc* script in the home directory.

For the laboratory computer *a12* the installation should take place under the *betreuer* account, while the last step needs to be executed for the *betreuer* as well as for the *praktikum* account. Important to note is that for the *praktikum* account user needs to be replace with *betreuer* instead of *praktikum* in this last step.

From: <https://polaris.astro.physik.uni-potsdam.de/wiki/> - OST Wiki

Permanent link: [https://polaris.astro.physik.uni-potsdam.de/wiki/doku.php?id=en:software:howto\\_gdl\\_install&rev=1443652994](https://polaris.astro.physik.uni-potsdam.de/wiki/doku.php?id=en:software:howto_gdl_install&rev=1443652994)

Last update: 2015/09/30 22:43

