

Installation of ESO MIDAS

Some notes regarding the installation:

- The official MIDAS webpage with detailed hardware and software requirements can be found here: <http://www.eso.org/sci/software/esomidas/midas-require.html>
- The official MIDAS documentation is here: <http://www.eso.org/sci/software/esomidas/doc/index.html>
- The manual is meant for the installation in Linux (Ubuntu, Debian etc.), while some packages might have different names in SuSe, Fedora etc.
- The installation requires a console and root rights (esp. to install the packages). If needed, the admin has to do that part.

Beyond that it should be possible to install MIDAS without root rights.

Package dependencies

The following dev- packages need to be installed

```
sudo apt-get install libmotif-dev libncurses5-dev libx11-dev
```

Create the MIDAS directory

Create the directory that shall contain the midas installation:

```
mkdir midas
```

Download MIDAS

Open a console (or cd to the midas directory) and connect to the FTP server

```
ftp ftp.eso.org
```

The username is ftp and the password <your_email_address_here>.

Remark: The following text uses version 11FEB and version 1.0 of MIDAS (11FEBp1.0.tar.gz). The latest version at the moment is 13SEP with version 1.4 (13SEPp1.4.tar.gz). The path /home/username/opt/midas/11FEB needs to be adjusted to your installation.

Then get to the MIDAS directory on the server, download the archive and logout:

```
ftp> cd /midaspub/11FEB/sources
ftp> get README.sources
ftp> binary
```

```
ftp> get 11FEBpl1.0.tar.gz
ftp> quit
```

Then unpack the source files:

```
tar -zxvf 11FEBpl1.0.tar.gz
```

It's easier to use a symbolic link with a shorter name, e.g.

```
ln -s 11FEBpl1.0 11FEB
```

The config script

The config script can be found in this directory:

```
cd 11FEB/install/unix/
```

then execute it

```
sh config
```

MIDAS will print the following output to the console

```
MIDAS CONFIG MENU:
=====
1 - list of MIDAS packages available
2 - select only MIDAS core
3 - select all MIDAS packages
4 - select MIDAS core and packages of your choice
5 - preinstall MIDAS
6 - install MIDAS
7 - update MIDAS
8 - setup MIDAS
9 - clean MIDAS
10 - help
q - quit
Select:
```

Pre installation

First select

```
5 - preinstall MIDAS
```

Mostly the default settings can be used, if they are valid  This step copies, if present, pre configured installation files (for your system) to the MIDASa directory.

Installation

Now select

```
6 - install MIDAS
```

This installs MIDAS (how unexpected ). To follow the progress, open another console and type

```
tail -f /midas/11FEB/tmp/install.//<some_number>//
```

Setup MIDAS

```
8 - setup MIDAS
```

Use default values if the setup requires input.

Next, copy the executables to a directory that is listed in the \$PATH variable, e.g. /usr/local/bin (or add the directory to the \$PATH variable?). This can be done for a single user or for all.

```
cp /home/username/opt/midas/11FEB/system/unix/inmidas /usr/local/bin
cp /home/username/opt/midas/11FEB/system/unix/gomidas /usr/local/bin
cp /home/username/opt/midas/11FEB/system/unix/helpmidas /usr/local/bin
cp /home/username/opt/midas/11FEB/system/unix/drs /usr/local/bin
```

Furthermore, the MIDAS man-pages can be made available for all users. So copy them to a directory that is listed in the \$MANPATH variable, e.g. /usr/man/man.

```
cp /home/username/opt/midas/11FEB/system/unix/manl/inmidas.l /usr/man/manl
cp /home/username/opt/midas/11FEB/system/unix/manl/gomidas.l /usr/man/manl
cp /home/username/opt/midas/11FEB/system/unix/manl/helpmidas.l /usr/man/manl
cp /home/username/opt/midas/11FEB/system/unix/manl/readline.l /usr/man/manl
```

Alternative, add the path /home/username/opt/midas/11FEB/system/unix/manl to the \$MANPATH variable.

Start MIDAS the first time

Create a tmp directory in midas and start it:

```
mkdir /midas/tmp
cd /midas/tmp
```

```
inmidas
```

Within the MIDAS environment execute this command

```
Midas 001> @ compile.all
```

This prints approximately 40 lines of text and exits MIDAS. The command

```
gomidas
```

returns to the MIDAS environment. Then run this command to create the LUT- and ITT files

```
Midas 002 > @ ascii_bin
```

Then logout and enjoy. 😊

```
Midas 003 > bye
```

Verify MIDAS

To verify the installation, go into MIDAS

```
inmidas
```

and run

```
Midas 001> @ superverify
```

which tests some demo files in MIDAS (if they were copied).

From: <https://polaris.astro.physik.uni-potsdam.de/wiki/> - OST Wiki

Permanent link: https://polaris.astro.physik.uni-potsdam.de/wiki/doku.php?id=en:software:howto_midas_install&rev=1421551788

Last update: 2015/01/18 03:29

